

SPECIFICATION SHEET FOR H₂S SENSOR TYPE H2S/C-2000

PERFORMANCE CHARACTERISTICS

Nominal Range	0 – 2000 ppm	
Maximum Overload	4000 ppm	
Expected Operation Life	2 years in air	
Output Signal	50 ± 10 nA/ppm	
Resolution	2.0 ppm	
Temperature Range	- 20 ℃ to 50 ℃	
Pressure Range	Atmospheric ± 10%	
Pressure Coefficient	No data	
T ₉₀ Response Time	< 60 sec	
Relative Humidity Range	15 % to 90 % R.H.	
	non-condensing	
Typical Baseline Range (pure	< 14 ppm	
air, 20℃)		
Maximum Zero Shift (+20℃	5 ppm	
to +40℃)		
Expected Long Term Output	< 2% signal loss/month	
Drift in air		
Recommended Load Resistor	10 Ohm	
Bias Voltage	Not recommended	
Repeatability	< 2 % of signal	
Output Linearity	Linear	

CROSS-SENSITIVITY DATA

Interfering Gas	Concentration	Reading
CO	500 ppm	< 10 ppm
SO ₂	500 ppm	~ 100 ppm
NO	350 ppm	< 20 ppm
NO ₂	50 ppm	~ - 10 ppm

Performance data conditions: 20 ℃, 50% RH and 1013 mbar

APPLICATIONS


Safety and Environmental Control For high H2S-concentrations in discontinuous mode


PHYSICAL CHARACTERISTICS

Weight	~ 13 g
Position Sensitivity	None
Storage Life	Six months in
	container
Recommended Storage	5 ℃ – 20 ℃
Temperature	
Warranty Period	12 months from date
	of dispatch

Compact-Size Outline Dimensions

BOTTOM VIEW





REV.: 12/2007 Page 1 of 2


Phone: +41 43 311 72 00 Fax: +41 43 311 72 01 Email: info@membrapor.ch www.membrapor.ch




SPECIFICATION SHEET FOR H₂S SENSOR TYPE H2S/C-2000

TEMPERATURE DEPENDENCE

The output of an electrochemical sensor varies with temperature. The graphs below show the variation in output with temperature for this type of sensor. The results are shown in the graphs as a mean for a batch of sensors, along with confidence intervals corresponding to ± 3 times the standard deviation. The sensitivity dependence is expressed as a percentage of the signal at 20 °C. The shift in bas eline is shown in ppm referenced to 20 °C.





The data contained in this document is for guidance only. Membrapor AG accepts no liability for any consequential losses, injury or damage resulting from the use of this document or the information contained within it. The data is given for guidance only. Customers should test under their own conditions, to ensure that the sensors are suitable for their own requirements.

REV.: 12/2007 Page 2 of 2

Phone: +41 43 311 72 00 Fax: +41 43 311 72 01 Email: info@membrapor.ch www.membrapor.ch MEMBRAPOR AG Birkenweg 2 CH-8304 Wallisellen Switzerland