# MEMBRAPOR SPECIFICATION SHEET

# H2S/C-50







## Hydrogen Sulfide Gas Sensor in Compact Housing

#### **MEASUREMENT**

Operation Principle	3-Electrode Electrochemical	
Nominal Range	0 – 50 ppm	
Maximum Overload	100 ppm	
Inboard Filter	_	
Output Signal	1700 ± 300 nA/ppm	
Resolution (Electronics dependent)	< 0.03 ppm	
T90 Response Time	< 35 sec	
Typical Baseline Range (pure air, 20°C)	0 ppm to 0.1 ppm	
Maximum Zero Shift (+20°C to +40°C)	0.1 ppm	
Repeatability	< 2 % of signal	
Output Linearity	Linear	
Gain	_	

#### **ELECTRICAL**

Rec. Load Resistor	10 Ohm
Bias (V_Sens-V_Ref)	not recommended
Conformity to RoHS directive	RoHS Compliance

### **ENVIRONMENTAL**


Relative Humidity Range	15 % to 90 % R.H. non- condensing
Temperature Range	-40 °C to 50 °C
Pressure Range	Atmospheric ± 10%
Pressure Coefficient	N.D.
Humidity Effect	none

#### LIFETIME

Expected Operation Life	2 years in air
Expected Long Term Output Drift in air	N.D.
Filter Life	_
Storage Life	6 months in container
Rec. Storage Temperature	5 °C – 20 °C
Warranty Period	12 months from date of dispatch

Performance data conditions: 20 °C, 50% RH, 1013 mbar

#### **Compact-Size Outline Dimensions**



### **MECHANICAL**

Weight	13 g
Position Sensitivity	None

#### **APPLICATIONS**

**Discontinuous Measurement** Biogas Analyzer Safety and Environmental Control

#### **CROSS-SENSITIVITY DATA**

The table below does not claim to be complete.

Interfering Gas	Conc.	Reading
	ppm	ppm
CO	100	0.4
CO SO <sub>2</sub>	100	20
NO	35	2
$NO_2$	5	-0.1
H <sub>2</sub>	10000	5

REV.: 06/2017 Page 1 of 3

Phone: +41 43 311 72 00 MEMBRAPOR AG Fax: +41 43 311 72 01 Birkenweg 2 Email: info@membrapor.ch CH-8304 Wallisellen www.membrapor.ch

The data contained in this document is for guidance only. Membrapor AG accepts no liability for any consequential losses, injury or damage resulting from the use of this document or from any omissions or errors herein. Customers should test under their own conditions, to ensure that the sensors are suitable for their own requirements.

# MEMBRAPOR SPECIFICATION SHEET

# H2S/C-50







Hydrogen Sulfide Gas Sensor in Compact Housing

#### **TEMPERATURE DEPENDENCE**

The output of an electrochemical sensor varies with temperature. The graphs below show the variation in output with temperature for this type of sensor. The results are shown in the graphs as a mean for a batch of sensors. The sensitivity dependence is expressed as a percentage of the signal at 20 °C. The shift in baseline is shown in ppm referenced to 20 °C and a relative humidity of 50%.

#### Please note:

It is highly recommended to acquire the temperature dependence curves with the whole instrument. The sampling system, the humidity, the electronics, the interaction between the electronics and the sensor, all have a significant impact on the temperature dependence of the final measurement reading.

### **Sensitivity Temperature Dependence**




Figure 1: Sensitivity dependence expressed as a percentage of the signal at 20 °C. The result is shown along with confidence intervals corresponding to ±3 times the standard deviation.

REV.: 06/2017 Page 2 of 3

Phone: +41 43 311 72 00

Fax: +41 43 311 72 01

Email: info@membrapor.ch

www.membrapor.ch

MEMBRAPOR AG
Birkenweg 2
CH-8304 Wallisellen
Switzerland

The data contained in this document is for guidance only. Membrapor AG accepts no liability for any consequential losses, injury or damage resulting from the use of this document or from any omissions or errors herein. Customers should test under their own conditions, to ensure that the sensors are suitable for their own requirements.

# MEMBRAPOR SPECIFICATION SHEET

## H2S/C-50





Hydrogen Sulfide Gas Sensor in Compact Housing

#### **TEMPERATURE DEPENDENCE**




Figure 2: The shift in baseline shown in ppm referenced to 20 °C and a relative humidity of 50%.




Figure 3: The shift in baseline expressed as percentage of the measurement range referenced to 20 °C and a R.H. of 50%.

REV.: 06/2017 Page 3 of 3

Phone: +41 43 311 72 00

Fax: +41 43 311 72 01

Email: info@membrapor.ch

www.membrapor.ch

MEMBRAPOR AG

Birkenweg 2

CH-8304 Wallisellen

Switzerland

The data contained in this document is for guidance only. Membrapor AG accepts no liability for any consequential losses, injury or damage resulting from the use of this document or from any omissions or errors herein. Customers should test under their own conditions, to ensure that the sensors are suitable for their own requirements.